

MONTECITO FIRE PROTECTION DISTRICT  
AGENDA FOR THE STRATEGIC PLANNING COMMITTEE MEETING

Montecito Fire Protection District Headquarters

595 San Ysidro Road

Santa Barbara, California

October 29, 2013 at 3:00 p.m.


Agenda Items May Be Taken Out Of The Order Shown

1. Public comment: Any person may address the Committee at this time on any non-agenda matter that is within the subject matter jurisdiction of the Montecito Fire Protection District; 30 minutes total time is allotted for this discussion.
2. Report on District's response statistics.
3. Follow up on Standards of Cover Study with Enhanced Risk Analysis as directed by Board of Directors at October 28, 2013 Adjoined Regular Meeting.
4. Fire Chief's Report
5. Suggestions from Directors for items, other than regular agenda items, to be included in the agenda for the November 26, 2013 Strategic Planning Committee Meeting.

Adjournment


This agenda is posted pursuant to the provisions of the Government Code commencing at Section 54950. The date of the posting is October 25, 2013.

MONTECITO FIRE PROTECTION DISTRICT

By   
Terry McElwee, Operations Chief



# Incident Summary Quarters 1 – 3 January 1, 2013 – September 30, 2013





**Montecito Fire District**

**Incident Type Report (Summary)**

**Alarm Date Between {1/1/2013} And {9/30/2013}**

<b>Incident Type</b>	<b>Count</b>	<b>Pct of Incidents</b>	<b>Total Est Loss</b>	<b>Pct of Losses</b>
	2	0.19%	\$0	0.00%
	<b>2</b>	<b>0.19%</b>	<b>\$0</b>	<b>0.00%</b>
<b>1 Fire</b>				
111 Building fire	11	1.03%	\$56,010	38.97%
113 Cooking fire, confined to container	1	0.09%	\$0	0.00%
130 Mobile property (vehicle) fire, Other	2	0.19%	\$5,000	3.47%
131 Passenger vehicle fire	7	0.65%	\$82,700	57.54%
140 Natural vegetation fire, Other	3	0.28%	\$0	0.00%
141 Forest, woods or wildland fire	2	0.19%	\$0	0.00%
1411 Mutual Aid - Forest, woods or wildland fire	9	0.84%	\$0	0.00%
142 Brush or brush-and-grass mixture fire	1	0.09%	\$0	0.00%
143 Grass fire	2	0.19%	\$0	0.00%
154 Dumpster or other outside trash receptacle fire	1	0.09%	\$0	0.00%
160 Special outside fire, Other	2	0.19%	\$0	0.00%
170 Cultivated vegetation, crop fire, Other	1	0.09%	\$0	0.00%
	<b>42</b>	<b>3.91%</b>	<b>\$143,710</b>	<b>99.99%</b>
<b>2 Overpressure Rupture, Explosion, Overheat(no fire)</b>				
220 Overpressure rupture from air or gas, Other	1	0.09%	\$0	0.00%
221 Overpressure rupture of air or gas pipe/pipeline	1	0.09%	\$0	0.00%
240 Explosion (no fire), Other	1	0.09%	\$0	0.00%
251 Excessive heat, scorch burns with no ignition	3	0.28%	\$0	0.00%
	<b>6</b>	<b>0.56%</b>	<b>\$0</b>	<b>0.00%</b>
<b>3 Rescue &amp; Emergency Medical Service Incident</b>				
300 Rescue, EMS incident, other	11	1.03%	\$0	0.00%
3001 Trail Rescue - Medical Emergency	3	0.28%	\$0	0.00%
311 Medical assist, assist EMS crew	5	0.47%	\$0	0.00%
320 Emergency medical service, other	23	2.14%	\$0	0.00%
321 EMS call, excluding vehicle accident with injuries	379	35.32%	\$0	0.00%
322 Motor vehicle accident with injuries	27	2.52%	\$0	0.00%
323 Motor vehicle/pedestrian accident (MV Ped)	1	0.09%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	8	0.75%	\$0	0.00%
341 Search for person on land	1	0.09%	\$0	0.00%
350 Extrication, rescue, Other	2	0.19%	\$0	0.00%
352 Extrication of victim(s) from vehicle	1	0.09%	\$0	0.00%
353 Removal of victim(s) from stalled elevator	6	0.56%	\$0	0.00%
356 High-angle rescue	1	0.09%	\$0	0.00%
364 Surf rescue	1	0.09%	\$0	0.00%

Montecito Fire District

Incident Type Report (Summary)

Alarm Date Between {1/1/2013} And {9/30/2013}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
<b>3 Rescue &amp; Emergency Medical Service Incident</b>	<b>469</b>	<b>43.71%</b>	<b>\$0</b>	<b>0.00%</b>
<b>4 Hazardous Condition (No Fire)</b>				
400 Hazardous condition, Other	2	0.19%	\$0	0.00%
4001 Tree Down	10	0.93%	\$0	0.00%
411 Gasoline or other flammable liquid spill	3	0.28%	\$0	0.00%
412 Gas leak (natural gas or LPG)	10	0.93%	\$0	0.00%
420 Toxic condition, Other	1	0.09%	\$0	0.00%
440 Electrical wiring/equipment problem, Other	5	0.47%	\$0	0.00%
441 Heat from short circuit (wiring), defective/worn	1	0.09%	\$0	0.00%
444 Power line down	9	0.84%	\$0	0.00%
445 Arcing, shorted electrical equipment	5	0.47%	\$0	0.00%
480 Attempted burning, illegal action, Other	4	0.37%	\$0	0.00%
481 Attempt to burn	1	0.09%	\$0	0.00%
	<b>51</b>	<b>4.75%</b>	<b>\$0</b>	<b>0.00%</b>
<b>5 Service Call</b>				
500 Service Call, other	7	0.65%	\$0	0.00%
510 Person in distress, Other	3	0.28%	\$0	0.00%
511 Lock-out	1	0.09%	\$0	0.00%
520 Water problem, Other	8	0.75%	\$0	0.00%
522 Water or steam leak	4	0.37%	\$0	0.00%
531 Smoke or odor removal	7	0.65%	\$0	0.00%
540 Animal problem, Other	3	0.28%	\$0	0.00%
541 Animal problem	2	0.19%	\$0	0.00%
542 Animal rescue	2	0.19%	\$0	0.00%
550 Public service assistance, Other	12	1.12%	\$0	0.00%
551 Assist police or other governmental agency	6	0.56%	\$0	0.00%
553 Public service	6	0.56%	\$0	0.00%
5531 Public Assist - Malfunctioning Smoke Detector	1	0.09%	\$0	0.00%
554 Assist invalid	31	2.89%	\$0	0.00%
5551 Defective gate	1	0.09%	\$0	0.00%
561 Unauthorized burning	1	0.09%	\$0	0.00%
571 Cover assignment, standby, moveup	8	0.75%	\$0	0.00%
5710 Upstaffing / Extra Staffing	2	0.19%	\$0	0.00%
	<b>105</b>	<b>9.79%</b>	<b>\$0</b>	<b>0.00%</b>
<b>6 Good Intent Call</b>				
600 Good intent call, Other	5	0.47%	\$0	0.00%
611 Dispatched & cancelled en route	74	6.90%	\$0	0.00%

**Montecito Fire District**

**Incident Type Report (Summary)**

**Alarm Date Between {1/1/2013} And {9/30/2013}**

<b>Incident Type</b>	<b>Count</b>	<b>Pct of Incidents</b>	<b>Total Est Loss</b>	<b>Pct of Losses</b>
<b>6 Good Intent Call</b>				
6111 Automatic/Mutual Aid Dispatched, cancelled en route	30	7.46%	\$0	0.00%
6114 Unintentional Alarm; cancelled en route	1	0.09%	\$0	0.00%
622 No Incident found on arrival at dispatch address	1	1.03%	\$0	0.00%
631 Authorized controlled burning	1	0.09%	\$0	0.00%
650 Steam, Other gas mistaken for smoke, Other	4	0.37%	\$0	0.00%
651 Smoke scare, odor of smoke	9	0.84%	\$0	0.00%
652 Steam, vapor, fog or dust thought to be smoke	2	0.19%	\$0	0.00%
653 Smoke from barbecue, tar kettle	1	0.09%	\$0	0.00%
671 HazMat release investigation w/no HazMat	1	0.09%	\$0	0.00%
	<b>189</b>	<b>17.61%</b>	<b>\$0</b>	<b>0.00%</b>
<b>7 False Alarm &amp; False Call</b>				
700 False alarm or false call, Other	25	2.33%	\$0	0.00%
710 Malicious, mischievous false call, Other	1	0.09%	\$0	0.00%
730 System malfunction, Other	28	2.61%	\$0	0.00%
731 Sprinkler activation due to malfunction	2	0.19%	\$0	0.00%
733 Smoke detector activation due to malfunction	12	1.12%	\$0	0.00%
735 Alarm system sounded due to malfunction	17	1.58%	\$0	0.00%
736 CO detector activation due to malfunction	2	0.19%	\$0	0.00%
740 Unintentional transmission of alarm, Other	41	3.82%	\$0	0.00%
741 Sprinkler activation, no fire - unintentional	2	0.19%	\$0	0.00%
743 Smoke detector activation, no fire - unintentional	41	4.10%	\$0	0.00%
744 Detector activation, no fire - unintentional	6	0.56%	\$0	0.00%
745 Alarm system activation, no fire - unintentional	17	1.58%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	4	0.37%	\$0	0.00%
	<b>201</b>	<b>18.73%</b>	<b>\$0</b>	<b>0.00%</b>
<b>8 Severe Weather &amp; Natural Disaster</b>				
800 Severe weather or natural disaster, Other	1	0.09%	\$0	0.00%
813 Wind storm, tornado/hurricane assessment	1	0.09%	\$0	0.00%
	<b>2</b>	<b>0.19%</b>	<b>\$0</b>	<b>0.00%</b>
<b>9 Special Incident Type</b>				
900 Special type of incident, Other	1	0.09%	\$0	0.00%
9001 Test Call, / Training Call	4	0.37%	\$0	0.00%
911 Citizen complaint	1	0.09%	\$0	0.00%
	<b>6</b>	<b>0.56%</b>	<b>\$0</b>	<b>0.00%</b>


Total Incident Count: 1073

Total Est Loss:

\$143,710



# Incident Summary Beginning Quarter 4 October 1 – 25, 2013





Montecito Fire District

Incident Type Report (Summary)

Alarm Date Between {10/1/2013} And {10/25/2013}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	2	2.15%	\$0	0.00%
	<b>2</b>	<b>2.15%</b>	<b>\$0</b>	<b>0.00%</b>
<b>1 Fire</b>				
121 Fire in mobile home used as fixed residence	1	1.08%	\$0	0.00%
	<b>1</b>	<b>1.08%</b>	<b>\$0</b>	<b>0.00%</b>
<b>3 Rescue &amp; Emergency Medical Service Incident</b>				
3001 Trail Rescue - Medical Emergency	1	1.08%	\$0	0.00%
311 Medical assist, assist EMS crew	1	1.08%	\$0	0.00%
321 EMS call, excluding vehicle accident with injury	37	39.78%	\$0	0.00%
322 Motor vehicle accident with injuries	1	1.08%	\$0	0.00%
	<b>40</b>	<b>43.01%</b>	<b>\$0</b>	<b>0.00%</b>
<b>4 Hazardous Condition (No Fire)</b>				
4001 Tree Down	1	1.08%	\$0	0.00%
412 Gas leak (natural gas or LPG)	2	2.15%	\$0	0.00%
424 Carbon monoxide incident	1	1.08%	\$0	0.00%
441 Heat from short circuit (wiring), defective/worn	1	1.08%	\$0	0.00%
	<b>5</b>	<b>5.38%</b>	<b>\$0</b>	<b>0.00%</b>
<b>5 Service Call</b>				
522 Water or steam leak	1	1.08%	\$0	0.00%
531 Smoke or odor removal	1	1.08%	\$0	0.00%
550 Public service assistance, Other	1	1.08%	\$0	0.00%
553 Public service	1	1.08%	\$0	0.00%
554 Assist invalid	3	3.23%	\$0	0.00%
5551 Defective gate	1	1.08%	\$0	0.00%
571 Cover assignment, standby, moveup	3	3.23%	\$0	0.00%
	<b>11</b>	<b>11.83%</b>	<b>\$0</b>	<b>0.00%</b>
<b>6 Good Intent Call</b>				
600 Good intent call, Other	1	1.08%	\$0	0.00%
611 Dispatched & cancelled en route	2	2.15%	\$0	0.00%
6111 Automatic/Mutual Aid Dispatched, cancelled en route	6	6.45%	\$0	0.00%
6114 Unintentional Alarm; cancelled en route	6	6.45%	\$0	0.00%
6116 Traffic Accident; cancelled en route	2	2.15%	\$0	0.00%


**Montecito Fire District**

**Incident Type Report (Summary)**


**Alarm Date Between {10/1/2013} And {10/25/2013}**

<b>Incident Type</b>	<b>Count</b>	<b>Pct of Incidents</b>	<b>Total Est Loss</b>	<b>Pct of Losses</b>
<b>6 Good Intent Call</b>				
6117 Public Service Dispatched & cancelled en route	1	1.08%	\$0	0.00%
622 No Incident found on arrival at dispatch address	1	1.08%	\$0	0.00%
651 Smoke scare, odor of smoke	4	4.30%	\$0	0.00%
	<b>23</b>	<b>24.73%</b>	<b>\$0</b>	<b>0.00%</b>
<b>7 False Alarm &amp; False Call</b>				
710 Malicious, mischievous false call, Other	1	1.08%	\$0	0.00%
733 Smoke detector activation due to malfunction	1	1.08%	\$0	0.00%
735 Alarm system sounded due to malfunction	4	4.30%	\$0	0.00%
736 CO detector activation due to malfunction	1	1.08%	\$0	0.00%
740 Unintentional transmission of alarm, Other	1	1.08%	\$0	0.00%
744 Detector activation, no fire - unintentional	2	2.15%	\$0	0.00%
745 Alarm system activation, no fire - unintentional	1	1.08%	\$0	0.00%
	<b>11</b>	<b>11.83%</b>	<b>\$0</b>	<b>0.00%</b>
<b>Total Incident Count:</b>	<b>93</b>		<b>Total Est Loss:</b>	<b>\$0</b>

**Incidents by Stations Quarters 1 – 3 January 1, 2013 – September 30, 2013**



**Incident Summary Beginning Quarter 4 October 1 – 25, 2013**





# Incidents by Alarm Hour Quarters 1 – 3

January 1, 2013 – September 30, 2013

